CLINICAL AND EXPERIMENTAL IMMUNOLOGY

CONTENTS

P. COCKWELL,	D. H.	ADAMS	& (C. O.	S.	SAVAGE:

Vol 104 No 1 April 1006

Glycosaminoglycans contribute to multiple functions of vascular endothelial cells
V. Daniel, C. Süsal, R. Weimer, S. Zipperle,

M. Kröpelin, R. Zimmermann, A. Huth-Kühne & G. Opelz: Association of T cell dysfunction with the presence of IgG autoantibodies on CD4⁺ lymphocytes in haemophilia patients; results of a 10-year study

A. CAYOTA, F. VUILLIER, G. GONZALEZ & G. DIGH-IERO: CD4⁺ lymphocytes from HIV-infected patients display impaired CD45-associated tyrosine phosphatase activity which is enhanced by anti-oxidants

W. M. WILLIAMS, A. S. WHALLEY, R. M. COMACCHIO, J. ROSENBERG, R. A. WATTS, D. A. ISENBERG, J. A. MCCUTCHAN & W. J. W. MORROW: Correlation between expression of antibodies to histone H2B and clinical activity in HIV-infected individuals

V. S. Wong, W. Egner, T. Elsey, D. Brown & G. J. M. Alexander: Incidence, character and clinical relevance of mixed cryoglobulinaemia in patients with chronic hepatitis C virus infection

I. T. G. PYRAH & N. J. WATT: Immunohistological study of the depressed cutaneous DTH response in sheep naturally infected with an ovine lentivirus (Maedi-Visna virus)

B. V. NIKONENKO, A. S. APT, M. B. MEZHLUMOVA, V. G. AVDIENKO, V. V. YEREMEEV & A. M. MOROZ: Influence of the mouse *Bcg*, *Tbc-1*, and *xid* genes on resistance and immune responses to tuberculosis infection and efficacy of bacille Calmette-Guérin (BCG) vaccination

E. MEDINA & R. J. NORTH: Mice that carry the resistance allele of the Bcg gene (Bcg') develop a superior capacity to stabilize bacille Calmette-Guérin (BCG) infection in their lungs and spleen over a protracted period in the absence of specific immunity

P. RAJAGOPALAN-LEVASSEUR, D. LECOINTE, G. BERTRAND, M. FAY & M.-A. GOUGEROT-POCIDALO: Differential nitric oxide (NO) production by macrophages from mice and guinea pigs infected with virulent and avirulent Legionella pneumophila serogroup 1

M. P. Stoffel, E. CSERNOK, C. HERZBERG, T. JOHNSTON, S. F. CARROLL & W. L. GROSS: Anti-neutrophil cytoplasmic antibodies (ANCA) directed against bactericidal/permeability increasing protein (BPI): a new seromarker for inflammatory bowel disease and associated disorders

D. A. RIX, M. S. DOUGLAS, D. TALBOT, J. H. DARK & J. A. KIRBY: Role of glycosaminoglycans (GAGs) in regulation of the immunogenicity of human vascular endothelial cells

E. LIDINGTON,	C.	Nöhammer,	M.	DOMINGUEZ,
B. FERRY & M.	L. Ro	SE: Inhibition	of the	transendothe-
lial migration of	hum	an lymphocytes	s but	not monocytes
by phosphodiest	erase	inhibitors		

F. J. GARCÍA-CÓZAR, I. J. MOLINA, M. J. CUADRADO, M. MARUBAYASHI, J. PEÑA & M. SANTAMARÍA: Defective B7 expression on antigen-presenting cells underlying T cell activation abnormalities in systemic lupus erythematosus (SLE) patients

4 R. D. Inman & B. Chiu: Comparative microbicidal activity of synovial fluid on arthritogenic organisms K. Migita, K. Eguchi, T. Aoyagi, T. Tsukada, M. Tsuboi, Y. Kawabe & S. Nagataki: The effects of the immunosuppressant rapamycin on the growth of rheumatoid arthritis (RA) synovial fibroblast

T. MORIOKA, Y. FUJIGAKI, S. R. BATSFORD, R. WOITAS, T. OITE, F. SHIMIZU & A. VOGT: Anti-DNA antibody derived from a systemic lupus erythematosus (SLE) patient forms histone—DNA—anti-DNA complexes that bind to rat glomeruli *in vivo*

A. TEDESCHI, M. PALELLA, N. MILAZZO, B. MASCAGNI & A. MIADONNA: Impairment of the inhibitory effect of sodium on basophil histamine release in patients with systemic sclerosis

N. Esaguy & A. P. Águas: Prevention of adjuvant arthritis in Lewis rats by neonatal bacille Calmette-Guérin (BCG) infection

M. Mestre, E. Massip, J. Bas, J. Alsina, A. Romeu, A. M. Castelao, E. Buendia & J. M. Grinyō: Longitudinal study of the frequency of cytotoxic T cell precursors in kidney allograft recipients

J. C. JAUME, C. L. BUREK, W. H. HOFFMAN, N. R. ROSE, S. M. MCLACHLAN & B. RAPOPORT: Thyroid peroxidase autoantibody epitopic 'fingerprints' in juvenile Hashimoto's thyroiditis: evidence for conservation over time and in families

P. PAVLI, L. MAXWELL, E. VAN DE POL & W. F. DOE:
Distribution of human colonic dendritic cells and macrophages
M. MYOZAKI, M. KAMIYASU, T. MIURA, Y. WATA-

M. MYOZAKI, M. KAMIYASU, I. MIURA, Y. WATA-NABE, T. NAKANISHI & U. YAMASHITA: Induction of autoimmune hepatitis and autoantibodies to liver antigens by neonatal thymectomy in mice

N. A. MOLFINO, P. J. DOHERTY, I. L. SUURMANN, S. X. YANG, S. KESTEN, K. R. CHAPMAN & A. S. SLUTSKY: Analysis of the T cell receptor Vγ region gene repertoire in bronchoalveolar lavage (BAL) and peripheral blood of atopic asthmatics and healthy subjects

G. CHEN, R. WILSON, S. H. WANG, H. Z. ZHENG, J. J. WALKER & J. H. Mckillop: Tumour necrosis factor-alpha (TNF- α) gene polymorphism and expression in pre-eclampsia

oron in pro oo

66

72

80

86

92

103

108

115

124

133

144

154

J. D. GREENSTEIN, P. W. PEAKE & J. A. CHARLESmatoid arthritis (RA) in severe combined immunodefi-WORTH: The metabolism of C 9 in normal subjects and in cient (SCID) mice 247 patients with autoimmune disease 160 C. L. KEECH, T. P. GORDON & J. MCCLUSKEY: Struc-Y. LEVY, S. LABAUME, M. COLOMBEL & J. C. BROUET: tural differences between the human and mouse 52-kD Retinoic acid modulates the in vivo and in vitro growth of Ro autoantigens associated with poorly conserved auto-IL-6 autocrine human myeloma cell lines via induction of antibody activity across species 255 M. Botto, E. Theodoridis, E. M. Thompson, H. L. C. C. MENETRIER-CAUX, F. BRIERE, P. JOUVENNE, BEYNON, D. BRIGGS, D. A. ISENBERG, M. J. WALPORT E. PEYRON, F. PEYRON & J. BANCHEREAU: Identifica-& K. A. Davies: FcγRIIa polymorphism in systemic tion of human IgG autoantibodies specific for IL-10 lupus erythematosus (SLE): no association with disease F. KERN, S. ODE-HAKIM, K. VOGT, C. HÖFLICH, O. VAARALA, M. PUURUNEN, M. LUKKA, G. ALFTHAN, P. REINKE & H. D. VOLK: The enigma of CD57 M. LEIRISALO-REPO, K. AHO & T. PALOSUO: Affinity-CD28 T cell expansion—anergy or activation? 180 purified cardiolipin-binding antibodies show heterogeneity C. ABATANGELO, L. PLOTKIN, I. MATHOV, L. SQUIin their binding to oxidized low-density lipoprotein 269 UERA & J. LEONI: The frequent mutation Gly/Asp in J.-G. ZHANG, L. MORGAN & G. P. SPICKETT: L-selectin CDR1H may determine a cross-reactive idiotope in anti-I in patients with common variable immunodeficiency 185 cold agglutinins (CVID): a comparative study with normal individuals 275 C. D. RICHTERS, E. A. J. REITS, A. M. VAN PELT, J. M. E. FELL, J. A. WALKER-SMITH, J. SPENCER & M. J. HOEKSTRA, J. VAN BAARE, J. S. DU PONT & T. T. MACDONALD: The distribution of dividing T cells E. W. A. KAMPERDIJK: Effect of low dose UVB irradiathroughout the intestinal wall in inflammatory bowel tion on the migratory properties and functional capacities disease (IBD) 280 191 of human skin dendritic cells T. UEKI, M. MIZUNO, T. UESU, T. KISO, J. NASU, T. INABA, Y. KIHARA, Y. MATSUOKA, H. OKADA, Vol 104 No 2 May 1996 T. FUJITA & T. TSUJI: Distribution of activated complement, C3b, and its degraded fragments, iC3b/C3dg, in P. L. MERONI, D. D'CRUZ, M. KHAMASHTA, the colonic mucosa of ulcerative colitis (UC) 286 P. YOUINOU & G. R. V. HUGHES: Anti-endothelial cell P. DESREUMAUX, A. LEVY, J. P. VAERMAN, M. CAPRON, antibodies: only for scientists or for clinicians too? 199 A. CORTOT & J. F. COLOMBEL: Effect of intrajejunal B. RØSOK, P. VOLTERSVIK, R. BJERKNES, M. AXELelemental diet perfusion on local secretion of soluble CD4 SSON, L. R. HAAHEIM & B. ASJÖ: Dynamics of HIV-1 and CD8 293 replication following influenza vaccination of HIV+ E. AHLFORS, R. JONSSON & C. CZERKINSKY: Experiindividuals 203 mental T cell-mediated inflammatory reactions in the K. KAWAKAMI, M. TOHYAMA, Q. XIE & A. SAITO: IL-12 murine oral mucosa. II. Immunohistochemical characterprotects mice against pulmonary and disseminated infecization of resident and infiltrating cells 297 tion caused by Cryptococcus neoformans 208 S. Suzuki, Y. Nakatomi, S. Odani, H. Sato, F. Gejyo Tučková, Z. Zidek, M. HANIKÝŘOVÁ, & M. Arakawa: Circulating IgA, IgG, and IgM class CUKROWSKA, H. TLASKALOVÁ-HOGENOVÁ & antibody against Haemophilus parainfluenzae antigens in R. BAROT-CIORBARU: Macrophage nitric oxide synthase patients with IgA nephropathy 306 (NOS) activation by Nocardia opaca fractions and M. E. Luca, B. De geus, D. Sahali, J. A. Bruijn, 15- and 56-kD isolated antigens 215 P. Verroust & E. De HEER: Isolation of cDNAs S. K. WIJESEKERA, R. CARTER, L. RATHNAYAKA & encoding immunogenic regions of gp330, the autoanti-K. N. Mendis: A malaria parasite toxin associated with gen involved in Heymann nephritis 312 Plasmodium vivax paroxysms 221 T. NAKAYAMA, S. HASHIMOTO, E. AMEMIYA & P. MATSIOTA-BERNARD, B. HENTATI, S. PIÉ, N. LEGA-T. HORIE: Elevation of plasma-soluble tumour necrosis KIS, C. NAUCIEL & S. AVRAMEAS: Beneficial effect of factor receptors (TNF-R) in sarcoidosis 318 Salmonella typhimurium infection and of immunoglobu-T. OHNISHI, H. KITA, A. N. MAYENO, S. OKADA, lins from S. typhimurium-infected mice on the autoim-S. Sur, D. H. Broide & G. J. Gleich: Lidocaine in mune disease of (NZBNZW)F1 mice 228 bronchoalveolar lavage fluid (BALF) is an inhibitor of G. J. FOURNIÉ: Detection of nucleosome-IgG immune eosinophil-active cytokines 325 complexes in ascites from mice transplanted with anti-E. BROUG-HOLUB & G. KRAAL: Dose- and time-depen-DNA antibody-secreting hybridomas and in plasmas dent activation of rat alveolar macrophages by glucofrom MRL-lpr/lpr mice 236 corticoids 332 M. B. HOGARTH, P. J. NORSWORTHY, P. J. ALLEN, R. KEKWICK, S. BHAMBRI, M. H. CHABANE, J.-E. P. K. E. TRINDER, M. LOOS, B. J. MORLEY, AUTEGARDEN, D. A. LEVY & F. LEYNADIER: The M. J. WALPORT & K. A. DAVIES: Autoantibodies to allergenic properties of fresh and preserved Hevea brasithe collagenous region of C1q occur in three strains of liensis latex protein preparations 337 lupus-prone mice 241 T. Komatsu, N. Moriya & T. Shiohara: T cell A. SAKATA, K. SAKATA, H. PING, T. OHMURA, receptor (TCR) repertoire and function of human M. TSUKANO & K. KAKIMOTO: Successful induction of epidermal T cells: restricted TCR $V\alpha$ - $V\beta$ genes are severe destructive arthritis by the transfer of in vitroutilized by T cells residing in the lesional epidermis in

fixed drug eruption

343

activated synovial fluid T cells from patients with rheu-

patients following GM-CSF combination therapy Q. YI, G. HOLM & A. K. LEFVERT: Idiotype-induced T cell stimulation requires antigen presentation in associa-	351
J. A. D'ORAZIO & J. STEIN-STREILEIN: Human natural	359
killer (NK) cells present staphylococcal enterotoxin B (SEB) to T lymphocytes P. Méndez-samperio, M. Hernandez-garay, A. Badillo-flores & A. Nuñez-vazquez: Down-	366
modulation of mycobacterial-induced IL-1 β production in human mononuclear cells by IL-4	374
Vol 104 No 3 June 1996	
T. H. M. Ottenhoff: Putting numbers on mycobacterium activated T cell subsets	381
G. Antonelli, G. Giannelli, M. Currenti, E. Simeoni, S. Del vecchio, F. Maggi, M. Pistello, L. Roffi, G. Pastore, L. Chemello & F. Dianzani:	301
Antibodies to interferon (IFN) in hepatitis C patients relapsing while continuing recombinant IFN- α 2 therapy JM. Li, W. S. Fan, A. C. Horsfall, A. C. Anderson, S. Rigby, E. Larsson & P. J. W. Venables: The	384
expression of human endogenous retrovirus-3 in fetal cardiac tissue and antibodies in congenital heart block J. Marttla, J. Ilonen, M. Lehtinen, P. Parkkonen & A. Salmi: Definition of three minimal T helper cell	388
epitopes of rubella virus E1 glycoprotein M. Lönnrot, H. Hyöty, M. Knip, M. Roivainen, P. Kulmala, P. Leinikki, H. K. Åkerblom and the CHILDHOOD DIABETES IN FINLAND STUDY GROUP: Antibody cross-reactivity induced by the	394
homologous regions in glutamic acid decarboxylase (GAD ₆₅) and 2C protein of coxsackievirus B4 A. MISRA, RUMA MUKERJEE & U. C. CHATURVEDI: Production of nitrite by dengue virus-induced cytotoxic	398
factor P. T. Lukey, S. E. Latouf & S. R. Ress: Memory lymphocytes from tuberculous effusions: purified protein	400
derivative (PPD) stimulates accelerated activation marker expression and cell cycle progression S. ESIN, G. BATONI, G. KÄLLENIUS, H. GAINES, M. CAMPA, S. B. SVENSON, R. ANDERSSON &	41:
H. WIGZELL: Proliferation of distinct human T cell subsets in response to live, killed or soluble extracts of <i>Mycobacterium tuberculosis</i> and <i>Myco. avium</i> M. Z. SATTI, S. M. SULAIMAN, M. M. A. HOMEIDA,	41
S. A. Younis & H. W. Ghalib: Clinical, parasitological and immunological features of canal cleaners hyperexposed to <i>Schistosoma mansoni</i> in the Sudan	42
V. Friman, L. Å. Hanson, JM. Bridon, A. Tar- kowski, J. Banchereau & F. Brière: IL-10-driven immunoglobulin production by B lymphocytes from	42
IgA-deficient individuals correlates to infection proneness C. Demaison, D. David, B. Fautrel & J. Theze: V _H gene-family representation in peripheral activated B cells	43
from systemic lupus erythematosus (SLE) patients	43

M. Wadhwa, C. Bird, J. Fagerberg, R. Gaines-das, P. Ragnhammar, H. Mellstedt & R. Thorpe: Production of neutralizing granulocyte-macrophage colonystimulating factor (GM-CSF) antibodies in carcinoma

	P. E. SPRONK, G. HORST, B. T. F. VAN DER GUN,	
	P. C. LIMBURG & C. G. M. KALLENBERG: Anti-	
	dsDNA production coincides with concurrent B and T cell activation during development of active disease in	
351	systemic lupus erythematosus (SLE)	446
***	S. BACMAN, L. STERIN-BORDA, J. JOSÉ CAMUSSO,	* **
	R. ARANA, O. HUBSCHER & E. BORDA: Circulating	
359	antibodies against rat parotid gland M3 muscarinic	
	receptors in primary Sjögren's syndrome	454
	J. C. HOFFMANN, B. BAYER & H. ZEIDLER: Character-	
366	ization of a soluble form of CD58 in synovial fluid of	160
	patients with rheumatoid arthritis (RA)	460
	MC. CID, JM. GRAU, J. CASADEMONT, E. TOBÍAS, A. PICAZO, B. COLL-VINENT, J. ESPARZA, E. PEDROL &	
374	A. Urbano-marquez: Leucocyte/endothelial cell adhe-	
214	sion receptors in muscle biopsies from patients with	
	idiopathic inflammatory myopathies (IIM)	467
	I. EZAKI, M. OKADA, Y. YOSHIKAWA, Y. FUJIKAWA,	
	M. HASHIMOTO, M. OTSUKA, T. NOMURA, K. YAMA-	
381	мото, Т. Watanabe, M. Shingu & M. Nobunaga:	
	Human monoclonal rheumatoid factors augment arthri-	
	tis in mice by the activation of T cells	474
	T. Kucharzik, N. Lügering, H. Weigelt, M. Adolf,	
204	W. DOMSCHKE & R. STOLL: Immunoregulatory proper-	
384	ties of IL-13 in patients with inflammatory bowel disease; comparison with IL-4 and IL-10	483
	M. H. CLAESSON, A. RUDOLPHI, S. KOFOED,	403
	S. S. Poulsen & J. Reimann: CD4 ⁺ T lymphocytes	
388	injected into severe combined immunodeficient (SCID)	
	mice lead to an inflammatory and lethal bowel disease	491
	N. MATSUOKA, K. EGUCHI, A. KAWAKAMI, M. TSUBOI,	
394	Y. KAWABE, T. AOYAGI & S. NAGATAKI: Inhibitory	
	effect of clarithromycin on costimulatory molecule	
	expression and cytokine production by synovial fibro-	
	blast-like cells	501
	CG. MA, GX. ZHANG, BG. XIAO & H. LINK:	
398	Cellular mRNA expression of interferon-gamma (IFN- γ), IL-4 and transforming growth factor-beta (TGF- β) in	
370	rats nasally tolerized against experimental autoimmune	
	myasthenia gravis (EAMG)	509
406	T. TAKAHASHI, T. SHIRASAWA, K. MIYAKE, Y. YAHAGI,	007
	O. MATSUMURA, A. ABE, Y. NATORI, H. YAMABE,	
	Y. Utsunomiya, N. Maruyama, T. Mitarai &	
	O. SAKAI: Jak3 expression in glomerular epithelia of	
412	IgA nephropathy (IgA-N) patients	517
	J. M. KANTELE, A. KANTELE & H. ARVILOMMI: Circu-	
	lating immunoglobulin-secreting cells are heterogeneous	
	in their expression of maturation markers and homing	525
419	receptors B. P. THORNTON, V. VĚTVIČKA & G. D. ROSS: Function	525
417	of C3 in a humoral response: iC3b/C3dg bound to an	
	immune complex generated with natural antibody and a	
	primary antigen promotes antigen uptake and the expression	
426	of co-stimulatory molecules by all B cells, but only stimulates	
	immunoglobulin synthesis by antigen-specific B cells	531
	W. H. KUTTEH, S. J. PRINCE K. R. HAMMOND, C. C.	
	KUTTEH & J. MESTECKY: Variations in immuno-	
432	globulins and IgA subclasses of human uterine cervical	630
	secretions around the time of ovulation	538
439	N. D'OSTILIO, G. SABATINO, C. NATOLI, A. ULLRICH & S. IACOBELLI: 90K (Mac-2 BP) in human milk	543
737	5. IACOBELLI. FOR (Mac-2 Dr) III Hullian IIIIK	243